



M-4 220988550

The 220988550 caliper is synonymous with reliability

Made from a single piece of cast aluminium, this monobloc caliper has a solid, ultra-lightweight body with excellent rigidity and precise operating properties. Special care was paid to the hydraulics and the shape of the caliper body already in the design.

- ✓ OE-equivalent
- ✓ Brembo quality
- ✓ TUV approved
- ✓ Safety
- ✓ Performance
- ✓ Exclusive style
- ✓ Sports driving



Technical specifications

Piston size 34 mm	Number of pistons 4	Surface width 32-34 mm
Offset 30 mm	Pads included Yes	Caliper material Aluminium
Protection Black	Piston material Aluminium	Weight without pads 795 gr
Units per box 2		

	FIXED CALIPER		M4.34 a
			20.9885.50 60

DISC ROTATION DIRECTION

CALIPER AXIS

Effective Radius Ø 530 MAX Ø 290 MIN

PADS SHAPE AND DIMENSIONS

DESCRIPTION

Fixed caliper with 4 opposed pistons, made in a single body.
 Construction material: Aluminium Alloy.
 Operating fluid: brake fluid DOT4.
 N.B: Drawing shows left side caliper.
 Code 20.9885.50.
 Code 20.9885.60 specular.
 Mounting side behind the fork.

TECHNICAL CHARACTERISTICS

Pistons number and diameter:	4 34 mm	Average pad surface (1 pad):	21.0 cm ²
MAX working pressure:	70 bar	Mass (with sintered pad):	1.015 Kg

A Disc position (TOLERANCE):
 Disc thickness 5.0 mm: ±0.8 mm
 Disc thickness 4.5 mm: ±0.8 mm

CONFIGURATION

CHARACT. CALIPER	PADS	FRICTION MATERIAL	BODY COLOUR	MOUNTING SIDE	USABLE DISCS THICKNESS	BRAKE FLUID FOR PADS WEAR
20.9885.50	TOSHIBA	TT 2172 HH	BLACK	SX	5.0 mm	13.1 cm ³
20.9885.60				DX	4.5 mm	

AVAILABLE SPARE PARTS

SPARE PARTS CALIPER	PADS	BLEEDER SCREW	20 BOOTS	SPRING
20.9885.50 60	107.9882.11	105.3387.52	105.1502.20	120.2255.79

Indicating informations subject to modification. For further specifications contact Technical Section. LAST UPDATE: 07.10.13

COMPATIBLE VEHICLES